



**Bulletin HY14-2713-M1/US**  
**Service and Parts Bulletin**

**Models**  
**300 and 400**

Effective: August 1, 2002  
Supersedes: Cat. No. GSD-0901 dated 4/97

---



**Monoblock**  
**Control Valves**





## **WARNING**

FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE.

This document and other information from Parker Hannifin Corporation, its subsidiaries and authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system in the current product catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements of the application are met.

The products described herein, including without limitation, product features, specifications, designs, availability and pricing, are subject to change by Parker Hannifin Corporation and its subsidiaries at any time without notice.

## **Offer of Sale**


The items described in this document are hereby offered for sale by Parker Hannifin Corporation, its subsidiaries or its authorized distributors. This offer and its acceptance are governed by the provisions stated in the "Offer of Sale".

© Copyright 2002, Parker Hannifin Corporation, All Rights Reserved


bul2713-m1.p65, bl



# Service Parts List for 300 and 400 Control Valves



Model 300



Model 400

## Service Parts List for 300 and 400 Control Valves

Ref. No.	Part No.	Description	QTY	No.	Ref. No.	Part Description	QTY
	K-3001	Spool Seal Kit (Includes Item No. 13 Only) <sup>3</sup>			00591001	Centering Spring (Optional - Medium)	1
	K-3011	High Pressure Relief Kit (Includes Items 14 thru 23 Only)			00582001	Centering Spring (Optional - Light)	1
	K-3012	Low Pressure Relief Kit (Includes Items 14 thru 23 Only)		12	00577001	Spool Collar	1
	K-3002	Standard Black Plastic Coated Handle Kit (Includes 24 thru 28 Only)		13	00555001	Spool Seal <sup>3</sup>	2
				14	02503001	O-Ring Seal	1
	K-3014	(Optional) Plain Handle Kit (Includes 24 thru 28 Only)		15	06382001	Relief Valve Seat	1
	6470003	(Optional) Plain Offset Handle Kit (Includes 24 thru 28 Only)		16	02504001	.375 (9,53 mm) Ball, 1000 - 2500 PSI (69 - 172 bar) (Model 300 Only)	1
1	20011XXX	Model 300 Housing <sup>1</sup>	1		00155001	.344 (8,74 mm) Ball, 200 - 999 PSI (16 - 69 bar)	1
	20011XXX	Model 400 Housing <sup>1</sup>	1	17	01450001	High Pressure Relief Spring, 1000 - 2500 PSI (69 - 172 bar) <sup>2</sup>	1
2	20034001	300 Spool (3-Way - Open Center) <sup>1</sup>	1		08378001	Low Pressure Relief Spring, 200 - 999 PSI (16 - 69 bar) <sup>2</sup>	1
	20053001	340 Spool (3-Way Free Flow - Open Center) <sup>1 4</sup>	1	18	00073001	.375 NPTF Plug	1
	20961001	400 Spool (4-Way - Open Center) <sup>1</sup>	1	19	08086001	Dampening Sleeve	1
	20057001	440 Spool (4-Way Free Flow - Open Center) <sup>1 4</sup>	1	20	00458001	.040 Shim (1,00 mm) <sup>2</sup>	A/R
	20051001	330/430 Spool (3-Way and 4-Way -Closed Center) <sup>1</sup>	1	21	00459001	.020 Shim (0,50 mm) <sup>2</sup>	A/R
	20052001	330-40/430-40 Spool (3-Way and 4-Way Free Flow - Closed Center) <sup>1 4</sup>	1	22	00462001	.010 Shim (0,25 mm) <sup>2</sup>	A/R
3	00963001	Nylon Check Ball (Model 300 Only)	1	23	08087001	Spring Guide	1
4	00585001	Check Plug (Model 300 Only)	1	24	00551001	Handle Bracket	1
5	00017001	By-Pass Plug (Model 300 Only)	1	25	03731098	Bracket Screws	2
6	00559001	Bonnet Screw	4	26	00552001	Handle (Standard Black Plastic Coated)	1
7	00558001	Bonnet	1		00552003	Handle (Optional - Plain, No Coating)	1
8	00510001	Spool Screw	1		00565001	Handle (Optional - Plain, Offset)	1
9	20345001	Lock Washer	1	27	00086001	Cotter Pin	1
10	00509001	Flat Washer	1	28	00553001	Clevis Pin	1
11	00557001	Centering Spring (Standard)	1				

**1** Housings and Spools are select fit at the factory and are NOT sold separately.

**2** Do not attempt to adjust/shim these reliefs unless you have the capability to test the reliefs for proper pressure setting. Without the capability to test you may exceed the maximum pressure rating of the product or draw the relief spring solid, which in turn means there is no relief (NR).

**3** Buna-N seals are standard for all Gresen valve assemblies.

**4** **Warning:** If you are using the free flow (340, 440, 330-40 and 430-40) spool configurations in a cylinder lift application, it must be used in conjunction with a load holding device. A load holding device will prevent the load from free falling when the spool is in the neutral position. A free falling load could cause serious bodily injury or property damage if the holding device is not installed.

## Optional Spool Positioner Service Kits

### Model 300 (400) Standard Spring-Return Spool Positioner (Service Kit No. K-3009)

Part No.	Description	No. Required
00559001	Bonnet Screw	4
00558001	Bonnet	1
00510001	Spool Screw	1
20345001	Lock Washer	1
00509001	Flat Washer	1
00557001	Centering Spring <sup>1</sup>	1
00577001	Spring Collar	1

<sup>1</sup> 00557001 Centering Spring is standard. Optional medium duty (00591001) and light duty (00582001) springs are available.

### Model 301 (401) Manual Spool Positioner

Part No.	Description	No. Required	Standard Parts Replaced
00573001	Conversion Spacer	1	00557001 (Spring) 00577001 (Spool Collar)

### Model 310 (410) 3-Position Detent Spool Positioner (Service Kit No. CK-3004)

Part No.	Description	No. Required	Standard Parts Replaced
00969001	Detent Spring	1	00509001 (Spring Washer)
00970001	Detent Spring Washer	1	00577001 (Spool Collar)
00971001	Detent Pin	1	00557001 (Spring)
01214001	Washer	1	00558001 (Bonnet)
02519001	Detent Cap	1	00559001 (Bonnet Screw)
02526001	Detent Bonnet	1	
02527001	Spool Adapter (3-Groove)	1	
02537001	Bonnet Screw	4	
00510001	Screw	1	
02528001	Detent Sleeve	1	
20345001	Lock Washer	1	

This option is **NOT** intended for use as a positive spool locking device against excessive external forces or machine vibration

### Model 320 (420) Spring Extended to Spool 'Out' Positioner (Service Kit No. K-3008)


Part No.	Description	No. Required	Standard Parts Replaced
00566001	Spring	1	00509001 (Spring Washer)
00578001	Spacer	1	00577001 (Spring Collar)
00579001	Stop Collar	1	00557001 (Spring)
00558002	Bonnet	1	00558001 (Bonnet)

## Relief Adjusting & Spool Seal Replacement Procedures

### Relief Valve Adjustment Procedures

Relief valves are factory set at 1500 PSI (103 bar) unless otherwise specified. Relief valves are not externally adjustable. However, they may be reset to different pressures by the use of shims. In attempting to reset relief valve pressure, the use of a pressure gauge is essential.

Do not attempt to adjust/shim these reliefs unless you have the capability to test the reliefs for proper pressure setting. Without the capability to test you may exceed the maximum pressure rating of the product or draw the relief spring solid, which in turn means there is no relief (NR).



Follow these procedures to change the relief setting:

#### CAUTION

Do not attempt to adjust the pressure setting by tightening the .375 inch NPTF plug (No.1). This is a tapered plug, and any attempt to tighten beyond its normal depth may crack or break the valve housing.

1. Remove .375 inch NPTF plug (No.1) from the housing.
2. Remove the Centering Spring (No.2).
3. Add or remove shims (No.3) as necessary to increase or decrease pressure setting. A .010 (0,25 mm) shim will increase or decrease the relief setting by approximately 120 PSI (8,0 bar).
4. Replace spring and plug.
5. Always test relief to new setting.

#### Warning

Maximum pressure rating for Model 300 and 400 control valves is 2500 PSI (172 bar) for SAE Porting and 2000 PSI (138 bar) for NPT Porting.

### Spool Seal Replacement Procedures

1. Remove the 4 cap screws (No.6) and bonnet (No.7) and set aside.
2. Remove all remaining spool positioner parts from the rear of the valve housing.
3. Remove handle (No. 26).
4. Remove 2 cap screws (No.25) in handle bracket (No.24). Remove bracket.
5. With the bracket removed, temporarily return handle into spool clevis and install spool clevis pin. Pull spool (No.2) out of the housing (No.1).
6. Observe position of 'U' cup seals (No.13) for proper replacement. Carefully remove worn seal rings to prevent any damage to valve housing.
7. Lightly oil spool and insert into the housing from the front (relief end) without the new seal rings. Push the spool into the housing until the front seal ring groove is completely exposed.
8. Lube one of the new seal rings and carefully insert into groove 'A'. Once in place, be sure to carefully squeeze lips of ring into housing at the same time turning and pushing lightly on spool.
9. Pull spool back toward the handle and until the rear (bonnet end) seal groove is exposed.

#### CAUTION

Do not pull the spool more than is necessary to expose seal ring groove 'B'. If the spool is pulled too far, the seal ring will drop into the spool recess and could be damaged when centering the spool.

10. Carefully insert new seal ring into groove 'B'. After ring is in place, be sure to carefully squeeze lips of ring into housing at the same time turning and pushing lightly on spool.
11. Replace collar, spring, washer and round head machine screw. Tighten machine screw to 10 Ft. Lbs. (13,6 Nm). After tightening, make sure washer is free to slide on spool against spring.
12. Replace handle bracket and handle.
13. Replace bonnet and 4 cap screws. If spool action appears to bind, loosen four cap screws and retighten. Bonnet MUST be properly centered over spool end.

## Offer of Sale

The items described in this document and other documents or descriptions provided by Parker Hannifin Corporation, its subsidiaries and its authorized distributors are hereby offered for sale at prices to be established by Parker Hannifin Corporation, its subsidiaries and its authorized distributors. This offer and its acceptance by any customer ("Buyer") shall be governed by all of the following Terms and Conditions. Buyer's order for any such items, when communicated to Parker Hannifin Corporation, its subsidiary or an authorized distributor ("Seller") verbally or in writing, shall constitute acceptance of this offer.

**1. Terms and Conditions of Sale:** All descriptions, quotations, proposals, offers, acknowledgments, acceptances and sales of Seller's products are subject to and shall be governed exclusively by the terms and conditions stated herein. Buyer's acceptance of any offer to sell is limited to these terms and conditions. Any terms or conditions in addition to, or inconsistent with those stated herein, proposed by Buyer in any acceptance of an offer by Seller, are hereby objected to. No such additional, different or inconsistent terms and conditions shall become part of the contract between Buyer and Seller unless expressly accepted in writing by Seller. Seller's acceptance of any offer to purchase by Buyer is expressly conditional upon Buyer's assent to all the terms and conditions stated herein, including any terms in addition to, or inconsistent with those contained in Buyer's offer. Acceptance of Seller's products shall in all events constitute such assent.

**2. Payment:** Payment shall be made by Buyer net 30 days from the date of delivery of the items purchased hereunder. Amounts not timely paid shall bear interest at the maximum rate permitted by law for each month or portion thereof that the Buyer is late in making payment. Any claims by Buyer for omissions or shortages in a shipment shall be waived unless Seller receives notice thereof within 30 days after Buyer's receipt of the shipment.

**3. Delivery:** Unless otherwise provided on the face hereof, delivery shall be made F.O.B. Seller's plant. Regardless of the method of delivery, however, risk of loss shall pass to Buyer upon Seller's delivery to a carrier. Any delivery dates shown are approximate only and Seller shall have no liability for any delays in delivery.

**4. Warranty:** Seller warrants that the items sold hereunder shall be free from defects in material or workmanship for a period of 18 months from date of shipment from Parker Hannifin Corporation. **THIS WARRANTY COMPRISES THE SOLE AND ENTIRE WARRANTY PERTAINING TO ITEMS PROVIDED HEREUNDER. SELLER MAKES NO OTHER WARRANTY, GUARANTEE, OR REPRESENTATION OF ANY KIND WHATSOEVER. ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR PURPOSE, WHETHER EXPRESS, IMPLIED, OR ARISING BY OPERATION OF LAW, TRADE USAGE, OR COURSE OF DEALING ARE HEREBY DISCLAIMED. NOTWITHSTANDING THE FOREGOING, THERE ARE NO WARRANTIES WHATSOEVER ON ITEMS BUILT OR ACQUIRED WHOLLY OR PARTIALLY, TO BUYER'S DESIGNS OR SPECIFICATIONS.**

**5. Limitation Of Remedy: SELLER'S LIABILITY ARISING FROM OR IN ANY WAY CONNECTED WITH THE ITEMS SOLD OR THIS CONTRACT SHALL BE LIMITED EXCLUSIVELY TO REPAIR OR REPLACEMENT OF THE ITEMS SOLD OR REFUND OF THE PURCHASE PRICE PAID BY BUYER, AT SELLER'S SOLE OPTION. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES OF ANY KIND OR NATURE WHATSOEVER, INCLUDING BUT NOT LIMITED TO LOST PROFITS ARISING FROM OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR ITEMS SOLD HEREUNDER, WHETHER ALLEGED TO ARISE FROM BREACH OF CONTRACT, EXPRESS OR IMPLIED WARRANTY, OR IN TORT, INCLUDING WITHOUT LIMITATION, NEGLIGENCE, FAILURE TO WARN OR STRICT LIABILITY.**

**6. Changes, Reschedules and Cancellations:** Buyer may request to modify the designs or specifications for the items sold hereunder as well as the quantities and delivery dates thereof, or may request to cancel all or part of this order, however, no such requested modification or cancellation shall become part of the contract between Buyer and Seller unless accepted by Seller in a written amendment to this Agreement. Acceptance of any such requested modification or cancellation shall be at Seller's discretion, and shall be upon such terms and conditions as Seller may require.

**7. Special Tooling:** A tooling charge may be imposed for any special tooling, including without limitation, dies, fixtures, molds and patterns, acquired to manufacture items sold pursuant to this contract. Such special tooling shall be and remain Seller's property notwithstanding payment of any charges by Buyer. In no event will Buyer acquire any interest in apparatus belonging to Seller which is utilized in the manufacture of the items sold hereunder, even if such apparatus has been specially converted or adapted for such manufacture and notwithstanding any charges

paid by Buyer. Unless otherwise agreed, Seller shall have the right to alter, discard or otherwise dispose of any special tooling or other property in its sole discretion at any time.

**8. Buyer's Property:** Any designs, tools, patterns, materials, drawings, confidential information or equipment furnished by Buyer or any other items which become Buyer's property, may be considered obsolete and may be destroyed by Seller after two (2) consecutive years have elapsed without Buyer placing an order for the items which are manufactured using such property. Seller shall not be responsible for any loss or damage to such property while it is in Seller's possession or control.

**9. Taxes:** Unless otherwise indicated on the face hereof, all prices and charges are exclusive of excise, sales, use, property, occupational or like taxes which may be imposed by any taxing authority upon the manufacture, sale or delivery of the items sold hereunder. If any such taxes must be paid by Seller or if Seller is liable for the collection of such tax, the amount thereof shall be in addition to the amounts for the items sold. Buyer agrees to pay all such taxes or to reimburse Seller therefore upon receipt of its invoice. If Buyer claims exemption from any sales, use or other tax imposed by any taxing authority, Buyer shall save Seller harmless from and against any such tax, together with any interest or penalties thereon which may be assessed if the items are held to be taxable.

**10. Indemnity For Infringement of Intellectual Property Rights:** Seller shall have no liability for infringement of any patents, trademarks, copyrights, trade dress, trade secrets or similar rights except as provided in this Part 10. Seller will defend and indemnify Buyer against allegations of infringement of U.S. Patents, U.S. Trademarks, copyrights, trade dress and trade secrets (hereinafter 'Intellectual Property Rights'). Seller will defend at its expense and will pay the cost of any settlement or damages awarded in an action brought against Buyer based on an allegation that an item sold pursuant to this contract infringes the Intellectual Property Rights of a third party. Seller's obligation to defend and indemnify Buyer is contingent on Buyer notifying Seller within ten (10) days after Buyer becomes aware of such allegations of infringement, and Seller having sole control over the defense of any allegations or actions including all negotiations for settlement or compromise. If an item sold hereunder is subject to a claim that it infringes the Intellectual Property Rights of a third party, Seller may, at its sole expense and option, procure for Buyer the right to continue using said item, replace or modify said item so as to make it noninfringing, or offer to accept return of said item and return the purchase price less a reasonable allowance for depreciation. Notwithstanding the foregoing, Seller shall have no liability for claims of infringement based on information provided by Buyer, or directed to items delivered hereunder for which the designs are specified in whole or part by Buyer, or infringements resulting from the modification, combination or use in a system of any item sold hereunder. The foregoing provisions of this Part 10 shall constitute Seller's sole and exclusive liability and Buyer's sole and exclusive remedy for infringement of Intellectual Property Rights. If a claim is based on information provided by Buyer or if the design for an item delivered hereunder is specified in whole or in part by Buyer, Buyer shall defend and indemnify Seller for all costs, expenses or judgments resulting from any claim that such item infringes any patent, trademark, copyright, trade dress, trade secret or any similar right.

**11. Force Majeure:** Seller does not assume the risk of and shall not be liable for delay or failure to perform any of Seller's obligations by reason of circumstances beyond the reasonable control of Seller (hereinafter 'Events of Force Majeure'). Events of Force Majeure shall include without limitation, accidents, acts of God, strikes or labor disputes, acts, laws, rules or regulations of any government or government agency, fires, floods, delays or failures in delivery of carriers or suppliers, shortages of materials and any other cause beyond Seller's control.

**12. Entire Agreement/Governing Law:** The terms and conditions set forth herein, together with any amendments, modifications and any different terms or conditions expressly accepted by Seller in writing, shall constitute the entire Agreement concerning the items sold, and there are no oral or other representations or agreements which pertain thereto. This Agreement shall be governed in all respects by the law of the State of Ohio. No actions arising out of the sale of the items sold hereunder or this Agreement may be brought by either party more than two (2) years after the cause of action accrues.

9/91-P





**Parker Hannifin Corporation**  
Hydraulic Valve Division  
520 Ternes Avenue  
Elyria, Ohio, USA 44035  
Tel: (440) 366-5200  
Fax: (440) 366-5253  
[www.parker.com/hydraulicvalve](http://www.parker.com/hydraulicvalve)

Bulletin HY14-2713-M1/US,  
2C, 8/02, PHD