


Gas Bottles 3000 psi (207 Bar)

Size	Gas Volume		Dimensions In. (mm)				Port Thread [E]		Weight
	Gal.	Liters	Cu.In (Liters)	A	B	C	D	SAE	
1 QT	1	70	11.5	2.1	4.5	1.62	1-5/16"-12UN	1"	10
		(1.15)	(292)	(53.3)	(114)	(41.1)	SAE # 16		
1	4	235	17	3.5	6.75	2.37	1-5/8"-12UN	1-1/4"	31
		(3.85)	(432)	(89)	(171)	(60)	SAE # 20		
2.5	10	595	21	3.5	9.06	3.0	1-7/8"-12UN	2"	75
		(9.8)	(534)	(89)	(230)	(76)	SAE # 24		
5	20	1200	33.5	3.5	9.06	3.0	1-7/8"-12UN	2"	114
		(19.7)	(851)	(89)	(230)	(76)	SAE # 24		
10	37	2250	54	3.5	9.06	3.0	1-7/8"-12UN	2"	210
		(37)	(1372)	(89)	(230)	(76)	SAE # 24		
11	42	2530	59.5	3.5	9.06	3.0	1-7/8"-12UN	2"	230
		(41.6)	(1511)	(89)	(230)	(76)	SAE # 24		
15	57	3450	77.5	3.5	9.06	3.0	1-7/8"-12UN	2"	292
		(56.7)	(1969)	(89)	(230)	(76)	SAE # 24		

* 1 Quart and above are supplied with ASME certification as standard.

* 3000 psi gas bottles can be rated to 4000 psi according to ASME Appendix 22



Gas Bottles 5000 psi (345 Bar)

Size	Gas Volume		Dimensions In. (mm)				Port Thread [E]		Weight
	Gal.	Liters	Cu.In (Liters)	A	B	C	D	SAE	
2.5	10	590	23	3.62	9.56	3.0	1-7/8"-12UN	2"	115
		(9.7)	(584)	(92)	(243)	(76)	SAE # 24		
5	20	1190	35	3.62	9.56	3.0	1-7/8"-12UN	2"	210
		(19.5)	(889)	(92)	(243)	(76)	SAE # 24		
10	37	2250	55.75	3.62	9.56	3.0	1-7/8"-12UN	2"	320
		(37)	(1416)	(92)	(243)	(76)	SAE # 24		
15	57	3420	78.75	3.62	9.56	3.0	1-7/8"-12UN	2"	470
		(56.3)	(2000)	(92)	(243)	(76)	SAE # 24		

* 5000 psi gas bottles can be rated to 6500 psi according to ASME Appendix 22

Refer to Model Code Chart on page 4 for Part Numbers and Ordering

Gas bottles with necked connection and flat bottom design available in larger volume. Consult factory for options and pricing.