AMERICAN WET TANK SYSTEMS

# **AMERICAN**



PARTS & ACCESSORIES

# get the MANK



1-800-634-8265

www.americanmobilepower.com

Vol. 9



# WARRANTY

The American Wet Tank System is warranted to be free of defects in material or workmanship and to meet American Mobile Power's written specifications at the time of sale. American's obligation and liability under this warranty is expressly limited to repairing or replacing, at American's option, within one year after date of original installation any defective part or parts or any product not meeting the specifications.

This warranty is in lieu of all other warranties, express or implied. American makes no warranty of merchant ability or of fitness for any particular purpose. American's obligation under this warranty shall not include any transportation charges or costs of installation of any liability for direct, indirect, special, incidental, or consequential damages or delay. The remedies set forth herein are exclusive, and American's liability with respect to any contract or sale or anything done in connection therewith, whether in contract, in tort, under any warranty, or otherwise, shall not, except as expressly provided herein, exceed the price of the product or part on which such liability is based.

If requested by American, products or parts for which a warranty claim is made are to be returned transportation prepaid to a Service Center designated by American. Any installation or use not in accordance with the catalog or package instructions, other improper use, operation beyond an intermittent duty, substitution of parts not approved by American, use with equipment other than the equipment on which the Wet Tank System is first installed, or alteration or repair made to the unit other than at an American designated Service Facility, shall void this warranty.



IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE.

This document and other information from American Mobile Power and authorized distributors provide this product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system in the current product catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements of the application are met. The products described herein, including without limitation, product features and specifications. Designs are subject to change by American Mobile Power at any time without notice.



# Hydraulic Mounting Products Saddlemount - Mounting Kits

#### AMK-624-C & AMK-624-S

For 25, 35, 50, & 100 Gallon Capacity Tanks

### **AMK-624-C**

Weight: 44#



AMK-624-C Carbon Mounting kit is shipped standard with all Steel and Aluminum Saddlemount tanks with a gallon capacity of less than 75 gallon. This kit includes: Two frame mount powder coated J-brackets (rubber shielded) and two rubber shielded, powder coated carbon steel strap assemblies. Kit can be purchased separately.

#### **AMK-624-S**

Weight: 44#

AMK-624-S Stainless Mounting kit is available as an upgrade option from the standard AMK-624-C. This kit is usable with Saddlemount tanks that are less than 75 gallons. Mounting kit includes: two frame mount powder coated J-brackets (rubber shielded) and two rubber shielded, stainless steel strap assemblies. Kit can be purchased separately.

# CHANGES MAY BE MADE TO PRODUCT WITHOUT NOTICE. TO SEE OUR FULL LINE OF DRAWINGS GO TO WWW.AMERICANMOBILEPOWER.COM

Order No.	Weight	Description	Page #
AMK-624	16#	"J" Bracket Only	37
ASA-355	7#	Carbon Steel Strap Assembly *for АМК-624-C	37
ASA-355-S	5#	Stainless Steel Strap Assembly *for AMK-624-S	37

NOTE: The 100 gallon Saddlemount Tanks (A35100-ST and A45100-ST) are supplied with two of the above kits.

# **Hydraulic Mounting Products Saddlemount - Mounting Kits**

### AMK-624-C/3 & AMK-624-S/3

For 75 Gallon Saddlemount Tanks

### AMK-624-C/3

Carbon Mounting Kit: 75 Gal.

Weight: 63#

AMK-624-C/3 Carbon Mounting kit is shipped standard with the A3575 and the A4575; 75 gallon capacity saddlemount hydraulic tanks. This mounting kit includes: Three frame mount powder coated J-brackets (rubber shielded) and three rubber shielded, powder coated carbon steel strap assemblies. Kit can be purchased separately.



Stainless Mounting Kit: 75 Gal.

Weight: 63#

AMK-624-S Stainless Mounting kit is available as an upgrade option from the standard AMK-624-C. This kit is usable with Saddlemount tanks that are of 75 gallon capacity. Mounting kit includes: three frame mount powder coated J-brackets (rubber shielded) and three rubber shielded, stainless steel strap assemblies. Kit can be purchased separately.



Order No.	Weight	Description	Page #
AMK-624	16#	"J" Bracket Only	37
ASA-355	7#	Carbon Steel Strap Assembly *for АМК-624-C	37
ASA-355-S	5#	Stainless Steel Strap Assembly *for AMK-624-S	37



# Hydraulic Mounting Products Upright - Mounting Kits

### ABK-340-C & ABK-340-S

For 70 Gallon Upright Tanks

#### **ABK-340-C**

Carbon Mounting Kit: 70 Gal.

Weight: 63#



The ABK-340-C Mounting kit comes standard with the A3070 and the A4070 hydraulic upright tanks. Mounting kit includes: Mounting base panel, carbon steel strap assembly with springs and rubber mounting pads. Also supplied is the ASK-200 mounting kit which includes four pre-drilled powder coated mounting angles, plated bolts, washers, nyloc-nuts, four plated springs, and four mounting pads. Also includes filter/breather cap and auxillary vent. Ships in one carton.

#### **ABK-340-S**

Stainless Mounting Kit: 70 Gal.

Weight: 63#

The ABK-340-S Stainless Mounting kit is available as an upgrade option from the ABK-340C. This mounting kit is usable with the 70 gallon upright tanks. Mounting kit includes: Mounting base panel, stainless steel strap assembly with springs and rubber mounting pads. Also supplied is the ASK-200 mounting kit which includes four pre-drilled powder coated mounting angles, plated bolts, washers, nyloc-nuts, four plated springs, and four mounting pads. Also includes filter/breather cap and auxillary vent.

Order No.	Weight	Description	Page #
AMB-405HD	20#	Mounting Base Panel - Heavy Duty	37
AMP-205	5#	Rubber Inserts for Heavy Duty Mounting Base Panel	37
ASK-200	12#	Chassis Mounting Kit	37
ASA-355	7#	Carbon Steel Strap Assembly (ABK-340-C)	37
ASA-355-S	5#	Stainless Steel Strap Assembly (ABK-340-S)	37

# **Hydraulic Mounting Products Mounting Kit Parts**

Order No.	Weight	Description
AMB-312	20#	Mounting Base Panel
AMB-405HD	20#	Mounting Base Panel - Heavy Duty
AMK-624	14#	"J" Bracket Only
ASA-355	7#	Carbon Steel Strap Assembly Strap Length with T-Bolt - 63" Strap Length without T-Bolt - 57"
ASA-355-S	5#	Stainless Steel Strap Assembly Strap Length with T-Bolt - 63" Strap Length without T-Bolt - 57"
AMP-400	1#	Channel Rubber Sold per foot
AMP-40053	3#	53" Channel Rubber (for strap)
ASK-200	12#	Chassis Mounting Kit
ASK-210	20#	Heavy Duty Chassis Mounting Kit
AMP-305	1#	"J" Bracket Rubber
AMP-205	5#	Rubber Inserts for Heavy Duty Mounting Base Panel
ASK-200G	12#	2.5" x 2.5" x 4" Gusseted Mounting Kit



# Fill Assembly Products Fill Assemblies

Order No.	Weight	Description
FCS-557	1#	Non-Vented Cap Assembly
AFC-330	1#	Fill Cap Assembly w/out cap
AFC-350	1#	Fill Cap Assembly
57XL-10-6DP	1#	Fill Cap Assembly w/ 6" Dipstick
57XL-10-3HN	l 1#	Fill Cap Assembly w/ 3" Riser Cup with 3" Flange
LC57XL-40N	1#	Lockable Fill Cap Assembly Vented
57XL-40-5P	2#	Fill Assembly w/ Pressure Cap 5 psi breather
FCS-537W	1#	Filler Cap Assembly Weather Proof

# Fill Assembly Products Fill Assembly Parts

Order No.	Weight	Description	
ABC-315	1#	Filter/Breather Cap Only	
ABA-138	1#	Breather Vent - 3/8" NPT Solid steel body, plated cover, 60 psi fully reticulated open core charcoal foam filter.	
ABA-12	1#	Breather Vent - 3/4" NPT	
ABA-16	1#	Breather Vent - 1" NPT	CORP.
HDF-6	2#	Diesel Fuel Neck	



# **Hydraulic Tank Parts**

Order No.	Weight	Description
ASG-105	1#	Sight/Temperature Gauge
ADA-250	2#	Diffuser Assembly 8" Long - 2" to 1-1/4"
LIT-1250-10P	6#	In Tank Filter
LTM-50	3#	Suction Strainer, 3" to 2"
LTM-25	2#	NPT Suction Strainer With Bypass, 2" to 1-1/4"
APC-160	2#	6" Inspection Port Cover
APC-160-S	2#	6" Inspection Stainless Port Cover

# **Hydraulic Parts**

Order No.	Weight	Description	
STEEL WELD	FI ANGES	•	
AFS-050	1#	1/2" Steel Weld Flange	
AFS-075	1#	3/4" Steel Weld Flange	
AFS-100	1#	1" Steel Weld Flange	
AFS-125	1#	1-1/4" Steel Weld Flange	
AFS-150	1#	1-1/2" Steel Weld Flange	
AFS-200	1#	2" Steel Weld Flange	
AFS-301	1#	Steel Fill Adapter	
AI 0 001	<b>-</b> 11	Otooi i iii Adaptoi	
ALUMINUM V	<b>WELD FLA</b>	NGES	
AFA-038	1#	3/8" Aluminum Weld Flange	
AFA-050	1#	1/2" Aluminum Weld Flange	
AFA-075	1#	3/4" Aluminum Weld Flange	
AFA-100	1#	1" Aluminum Weld Flange	
AFA-125	1#	1-1/4" Aluminum Weld Flange	
AFA-150	1#	1-1/2" Aluminum Weld Flange	
AFA-200	1#	2" Aluminum Weld Flange	
AFA-401	1#	Aluminum Fill Adapter	
	<del>_</del>		
STEEL PORT	PLUGS &	REDUCER BUSHINGS	
APP-210	1#	Steel Port Plug - 1" NPT	
APP-204	1#	Steel Port Plug - 1-1/4" NPT	
APP-202	1#	Steel Port Plug - 1-1/2" NPT	
APP-220	1#	Steel Port Plug - 2" NPT	
APP-210-M	1#	Magnetic Port Plug - 3/4" NPT	The state of the s
APP-225	1#	Port Reducer Bushing - plated, 2'	' x 1-1/4"



# Hydraulic Accessories Wet Line Hose Kits

3 Line Systems



#### WL-HK-9-8-3L

9' Pressure/8' Suction Shipping Weight: 24#

### WL-HK-12-12-3L

12' Pressure/12' Suction Shipping Weight: 32#

#### WL-HK-16-24-3L

16' Pressure/(2) 12' Suction Shipping Weight: 40#

### WL-HK-20-24-3L

20' Pressure/(2) 12' Suction Shipping Weight: 44#

Order No.	Weight	Description	Qty./Kit	Page #
AQD-1010	5#	1" Quick Disconnect-Complete	1 each	45
AHB-125	1#	1-1/4" NPT Male Hose Barb	4 each	
AHC-150	1#	Hose clamp Wormdrive	4 each	
APH-1	2#	1" SAE 100 R17 Pressure Hose	ftsee kit	
ASH-125	2#	1-1/4" SAE 100 R4 Suction Hose	ftsee kit	

# **Hydraulic Accessories**Wet Line Hose Kits

2 Line Systems

### WL-HK-12-6-2L

12' Pressure/6' Suction Shipping Weight: 22#

### WL-HK-14-8-2L

14' Pressure/8' Suction Shipping Weight: 26#

### WL-HK-16-8-2L

16' Pressure/8' Suction Shipping Weight: 30#

### WL-HK-20-12-2L

20' Pressure/12' Suction Shipping Weight: 34#



Order No.	Weight	Description	Qty./Kit	Page #
AQD-1010	5#	1" Quick Disconnect-Complete	1 each	45
AHB-125	1#	1-1/4" NPT Male Hose Barb	2 each	
AHC-150	1#	Hose clamp Wormdrive	2 each	
APH-1	2#	1" SAE 100 R17 Pressure Hose	ftsee kit	
ASH-125	2#	1-1/4" SAE 100 R4 Suction Hose	ftsee kit	



# Hydraulic Accessories Hose Support Kits



### **AHS-125**

For use with 1-1/4" hose application Shipping Weight: 5#


### **AHS-150**

For use with 1-1/2" hose application Shipping Weight: 7#

#### **AHS-200**

For use with 2" hose application Shipping Weight: 9#

- Prevents stress on ports
- Precision clamps designed for hydraulic hose diameters
- · Left or right applications
- Mounting bracket pre-punched and powder coated
- Hardware supplied



# **Hydraulic Accessory Parts**

Order No.	Weight	Description
AQD-1010	5#	1" Quick Disconnect-Complete
AQM-1010	2#	1" Male Coupler End
AQF-1010	2#	1" Female Coupler End
ARM-1010	1#	Rapid Mount Assembly
LPBV-20	1#	1-1/4" Low Pressure Ball Valve

### STEEL POLYETHYLENE ALUMINUM STEEL POLYETHYLENE ALUMINUM STEEL



POLYETHYLENE

STEEL

ALUMINUM

POLYETHYLENE

STEEL

ALUMINUM

POLYETHYLENE

STEEL

A3070































CALL TODAY • • WE SHIP • **JUST IN TIME!** 1-800-634-8265

