








Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	ABA100	1" NPT BREATHER
2	1	ISO57XL40	40u Fill w/30 Mesh SS Strainer
3	1	N_A4070-2	NAM WELDMNT ~65 1/2 lbs

AMP PARTS INCLUDE:
 -ABK-340-C OR ABK-340-S MOUNTING KIT

NOTE:
 -PLUG ALL PORTS FOR SHIPMENT

DATE	SYM.	DESCRIPTION	BY
9-24-25	G	UPDATED PART NUMBERS	BPK
8-27-18	N/A	S/N WAS ON BOTTOM OF ANGLE	BPK
2-18-15	F	REDUCE OAL BY .100	BPK
8-21-12	C	ADD SECOND VENT	BPK
6-1-12	B	INCREASED OAL BY 2.50	BPK
10-20-08	A	ADDED SUCTION PORT REINFORCEMENTS	BPK
REVISIONS			
10-23-04	N/A	SUPERSEDES MODEL A4070 DATED 10-28-2005	BPK


AMERICAN MOBILE POWER PH: (800) 634-8265 FAX: (765) 948-3403		DRAWING BY: BPKNIGHT COMPLETED: 10/23/2006	DESIGN FOR: AMERICAN MOBILE POWER	FILE NAME: A4070-2	
				SHEET: 1 of 10	SHEET SIZE: B



DATE	SYM	DESCRIPTION	BY
2-18-15	F	REDUCE OAL BY .100	BPK
8-21-12	C	ADD SECOND VENT	BPK
8-1-12	B	INCREASED OAL BY 2.50	BPK

REVISIONS

AMERICAN MOBILE POWER PH: (800) 634-8265 FAX: (765) 948-3403		DRAWING BY: BPKNIGHT COMPLETED: 10/23/2006	DESIGN FOR: AMERICAN MOBILE POWER	FILE NAME: A4070-2	
				SHEET: 2 of 10	SHEET SIZE: B



Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	A4000-2PSP	.100 MILL AL 2" PORT REINFORCEMENT
2	1	A4000FHT	.100 MILL AL BAFFLE HORIZ. TOP
3	1	A4000FI	.100 MILL ALUM BAFFLE INSERT
4	1	A4070-2B	.125 MILL ALUMINUM BOTTOM
5	1	A4070T	.125 3003 TREAD BRITE ALUM. TOP
6	1	AFA-401	.100 AL FILL ASS'Y WELD FLANGE
7	2	ASTF13-4096	.125 MILL AL x 9.6 STIFFENER
8	2	AWF1000UR	1.00" NPT AL WELD FLANGE REV.
9	2	AWF2000RM	2.00" NPT AL WELD FLANGE REV.
10	2	UA0002	.100 MILL ALUM BEADED UPRIGHT HEAD

DATE	SYM.	DESCRIPTION	BY
5-23-20	E	REPLACED HORIZ BAFFLE	ALH
3-6-13	D	ADD STIFFENERS TO TOP	BPK
8-21-12	C	ADD SECOND VENT	BPK
10-20-08	A	ADDED SUCTION PORT REINFORCEMENTS	BPK

AMERICAN MOBILE POWER PH: (800) 634-8265 FAX: (765) 948-3403		DRAWING BY: BPKNIGHT COMPLETED: 10/23/2006	DESIGN FOR: AMERICAN MOBILE POWER	FILE NAME: A4070-2	
				SHEET: 3 of 10	SHEET SIZE: B